ELSEVIER

Brain Research 644 (1994) 357–359

BRAIN RESEARCH

Author Index

Aida, K., see Iigo, M. (644) 213
Akaike, A., Tamura, Y., Yokota, T., Shimohama, S. and Kimura, J.
Nicotine-induced protection of cultured cortical neurons against *N*-methyl-D-aspartate receptor-mediated glutamate cytotoxicity (644) 181
Aksentsev, S.L., Mongin, A.A., Orlov, S.N., Rakovich, A.A., Kaler, G.V. and Konev, S.V.
Osmotic regulation of sodium pump in rat brain synaptosomes: the role of cytoplasmic sodium (644) 1
Amano, T., see Kishimoto, T. (644) 47
Ambalavanar, R., McCabe, B.J. and Horn, G.
NADPH diaphorase (nitric oxide synthase) in a part of the chick brain involved in imprinting (644) 160
Araki, T., see Liu, X.-H. (644) 257
Arilla, E., see Puebla, L. (644) 59
Asai, K., see Eksioglu, Y.Z. (644) 282

Bauer, C., see Mönnikes, H. (644) 101
Belczynski, C., see Kiritsy-Roy, J.A. (644) 109
Ben-Ari, Y., see Taupin, P. (644) 313
Benarroch, E.E., Zollman, P.J., Smithson, I.L., Schmelzer, J.D. and Low, P.A.
Different reinnervation patterns in the celiac/mesenteric and superior cervical ganglia following guanethidine sympathectomy in adult rats (644) 322
Bender, A.S., see Itzhak, Y. (644) 221
Bertelli, J.A., Orsal, D. and Mira, J.-C.
Median nerve neurotization by peripheral nerve grafts directly implanted into the spinal cord: anatomical, behavioural and electrophysiological evidences of sensorimotor recovery (644) 150
Bertholet, J.-Y., see Jamot, L. (644) 352
Björklund, A., see Lundberg, C. (644) 205
Black, J.A., see Waxman, S.G. (644) 197
Bohl, J., see Schnecko, A. (644) 291
Bowen, D.M., see Webster, M.-T. (644) 347
Bowman, E.R., see Dar, M.S. (644) 117
Bustos, G., see Ferrándiz, M.L. (644) 335

Cao, X. and Phillis, J.W.
α-Phenyl-tert-butyl-nitrone reduces cortical infarct and edema in rats subjected to focal ischemia (644) 267
Casey, K.L., see Kiritsy-Roy, J.A. (644) 109
Ceccatelli, S., see Villar, M.J. (644) 273
Ceresoli, G., see Qing, Y. (644) 13
Chavez, M., see Figlewicz, D.P. (644) 331
Cicirata, F., see Serapide, M.F. (644) 175
Ciriello, J., see Hochstenbach, S.L. (644) 233
Cocchi, D., see Qing, Y. (644) 13
Crusio, W.E., see Jamot, L. (644) 352

Danneman, P.J., see Kiritsy-Roy, J.A. (644) 109
Dar, M.S., Bowman, E.R. and Li, C.
Intracerebellar nicotinic-cholinergic participation in the cerebellar adenosinergic modulation of ethanol-induced motor incoordination in mice (644) 117
Davison, J.S., see Mathison, R. (644) 251
De Juan, E., see Ferrándiz, M.L. (644) 335
Delivoria-Papadopoulos, M., see Hoffman, D.J. (644) 144
Díez, A., see Ferrándiz, M.L. (644) 335
Doshi, R., see Webster, M.-T. (644) 347

Eksioglu, Y.Z., Iida, J., Asai, K., Ueki, T., Nakanishi, K., Isobe, I., Yamagata, K. and Kato, T.
Human neuroblastoma growth inhibitory factor (h-NGIF), derived from human astrocytoma conditioned medium, has neurotrophic properties (644) 282

Ferrándiz, M.L., Martínez, M., De Juan, E., Díez, A., Bustos, G. and Miquel, J.
Impairment of mitochondrial oxidative phosphorylation in the brain of aged mice (644) 335
Figlewicz, D.P., Szot, P., Chavez, M., Woods, S.C. and Veith, R.C.
Intraventricular insulin increases dopamine transporter mRNA in rat VTA/substantia nigra (644) 331
Francis, P.T., see Webster, M.-T. (644) 347

Garrick, T., see Morrow, N.S. (644) 243
Geula, C., Greenberg, B.D. and Mesulam, M.-M.
Cholinesterase activity in the plaques, tangles and angiopathy of Alzheimer's disease does not emanate from amyloid (644) 327
Glazer, R. and Gozes, I.
Diurnal oscillation in vasoactive intestinal peptide gene expression independent of environmental light entraining (644) 164
Gong, Z.-H., see Zhang, X. (644) 32
Gozes, I., see Glazer, R. (644) 164
Greenberg, B.D., see Geula, C. (644) 327
Guzzi, F., see Qing, Y. (644) 13

Hagino, Y. and Moroji, T.
Effects of systemically administered ceruletide on the in vivo release and metabolism of dopamine in the medial prefrontal cortex of awake, freely moving rats: an in vivo microdialysis study (644) 40
Hara, M., see Iigo, M. (644) 213
Hashiguti, H., see Nakahara, D. (644) 226
Hattori, A., see Iigo, M. (644) 213
Heller, H.C., see Prosser, R.A. (644) 67
Hochstenbach, S.L. and Ciriello, J.
Cardiovascular effects of NaCl microinjections into the nucleus of the solitary tract (644) 233
Hoffman, D.J., Marro, P.J., McGowan, J.E., Mishra, O.P. and Delivoria-Papadopoulos, M.
Protective effect of $MgSO_4$ infusion on nmda receptor binding characteristics during cerebral cortical hypoxia in the newborn piglet (644) 144
Hökfelt, T., see Villar, M.J. (644) 273
Hongpaisan, J., see Molander, C. (644) 74
Horn, G., see Ambalavanar, R. (644) 160
Howard, M.K., see Mailhos, C. (644) 7

Iida, J., see Eksioglu, Y.Z. (644) 282
Iigo, M., Kobayashi, M., Ohtani-Kaneko, R., Hara, M., Hattori, A., Suzuki, T. and Aida, K.
Characteristics, day–night changes, subcellular distribution and localization of melatonin binding sites in the goldfish brain (644) 213
Ishimura, M., see Kamisaki, Y. (644) 128
Isobe, I., see Eksioglu, Y.Z. (644) 282
Itoh, T., see Kamisaki, Y. (644) 128
Itoyama, Y., see Liu, X.-H. (644) 257
Itzhak, Y., Bender, A.S. and Norenberg, M.D.
Effect of hypoosmotic stress on peripheral-type benzodiazepine receptors in cultured astrocytes (644) 221

Jamot, L., Bertholet, J.-Y. and Crusio, W.E.
Neuroanatomical divergence between two substrains of C57BL/6J inbred mice entails differential radial-maze learning (644) 352

Kaler, G.V., see Aksentsev, S.L. (644) 1
Kamisaki, Y., Maeda, K., Ishimura, M., Omura, H., Moriwaki, Y. and Itoh, T.
No enhancement by nitric oxide of glutamate release from P2 and P3 synaptosomes of rat hippocampus (644) 128
Kato, H., see Liu, X.-H. (644) 257
Kato, K., see Liu, X.-H. (644) 257
Kato, T., see Eksioglu, Y.Z. (644) 282
Kimura, J., see Akaike, A. (644) 181
Kiritsy-Roy, J.A., Shyu, B.C., Danneman, P.J., Morrow, T.J., Belczynski, C. and Casey, K.L.
Spinal antinociception mediated by a cocaine-sensitive dopaminergic supraspinal mechanism (644) 109
Kishimoto, T., Yamanaka, T., Amano, T., Todo, N. and Sasa, M.
5-HT_{1A} receptor-mediated inhibition of lateral vestibular nucleus neurons projecting to the abducens nucleus (644) 47
Kiyama, H., see Ohno, K. (644) 135
Kobayashi, M., see Iigo, M. (644) 213
Koedel, U., Pfister, H.-W. and Tomasz, A.
Methylprednisolone attenuates inflammation, increase of brain water content and intracranial pressure, but does not influence cerebral blood flow changes in experimental pneumococcal meningitis (644) 25
Kogure, K., see Liu, X.-H. (644) 257
Konev, S.V., see Aksentsev, S.L. (644) 1
Kubo, T., see Ohno, K. (644) 135

Latchman, D.S., see Mailhos, C. (644) 7
Lemmer, B., see Schnecko, A. (644) 291
Li, C., see Dar, M.S. (644) 117
Liu, X.-H., Kato, H., Araki, T., Itoyama, Y., Kato, K. and Kogure, K.
An immunohistochemical study of copper/zinc superoxide dismutase and manganese superoxide dismutase following focal cerebral ischemia in the rat (644) 257
Low, P.A., see Benarroch, E.E. (644) 322
Lundberg, C., Wictorin, K. and Björklund, A.
Retrograde degenerative changes in the substantia nigra pars compacta following an excitotoxic lesion of the striatum (644) 205

Macgregor, D.G. and Stone, T.W.
Blockade by 1,3-dipropyl-8-cyclopentylxanthine (CPX) of purine protection against kainate neurotoxicity (644) 339
Maeda, K., see Kamisaki, Y. (644) 128
Mailhos, C., Howard, M.K. and Latchman, D.S.
A common pathway mediates retinoic acid and PMA-dependent programmed cell death (apoptosis) of neuronal cells (644) 7
Mann, D.M.A., see Webster, M.-T. (644) 347
Marro, P.J., see Hoffman, D.J. (644) 144
Martínez, M., see Ferrándiz, M.L. (644) 335
Maruyama, W., see Nakahara, D. (644) 226
Mathison, R. and Davison, J.S.
The involvement of sympathetic nerves in plasma extravasation induced by prostaglandin E_2 and substance P (644) 251
McCabe, B.J., see Ambalavanar, R. (644) 160
McGowan, J.E., see Hoffman, D.J. (644) 144
Mesulam, M.-M., see Geula, C. (644) 327
Meyer, E.M., see Singh, M. (644) 305
Millard, W.J., see Singh, M. (644) 305
Miller, J.D., see Prosser, R.A. (644) 67
Miquel, J., see Ferrándiz, M.L. (644) 335
Mira, J.-C., see Bertelli, J.A. (644) 150
Mishra, O.P., see Hoffman, D.J. (644) 144
Miya, D.Y., see Mizumori, S.J.Y. (644) 168
Mizumori, S.J.Y., Miya, D.Y. and Ward, K.E.
Reversible inactivation of the lateral dorsal thalamus disrupts hippocampal place representation and impairs spatial learning (644) 168
Molander, C., Hongpaisan, J. and Persson, J.K.E.
Distribution of c-*fos* expressing dorsal horn neurons after electrical stimulation of low threshold sensory fibers in the chronically injured sciatic nerve (644) 74
Mongin, A.A., see Aksentsev, S.L. (644) 1
Mönnikes, H., Schmidt, B.G., Tebbe, J., Bauer, C. and Taché, Y.
Microinfusion of corticotropin releasing factor into the locus coeruleus/subcoeruleus nuclei stimulates colonic motor function in rats (644) 101
Moriwaki, Y., see Kamisaki, Y. (644) 128
Moroji, T., see Hagino, Y. (644) 40
Morrow, N.S., Novin, D. and Garrick, T.
Microinjection of thyrotropin-releasing hormone in the paraventricular nucleus of the hypothalamus stimulates gastric contractility (644) 243
Morrow, T.J., see Kiritsy-Roy, J.A. (644) 109
Mughetti, D., see Rambotti, M.G. (644) 52
Müller, E.E., see Qing, Y. (644) 13

Nakahara, D., Maruyama, W., Hashiguti, H. and Naoi, M.
Characterization of the in vivo action of (*R*)-salsolinol, an endogenous metabolite of alcohol, on serotonin and dopamine metabolism: A microdialysis study (644) 226
Nakanishi, K., see Eksioglu, Y.Z. (644) 282
Naoi, M., see Nakahara, D. (644) 226
Nordberg, A., see Zhang, X. (644) 32
Norenberg, M.D., see Itzhak, Y. (644) 221
Novin, D., see Morrow, N.S. (644) 243

Ohm, T., see Schnecko, A. (644) 291
Ohmori, H., see Yoshida, N. (644) 90
Ohno, K., Takeda, N., Kiyama, H., Kubo, T. and Tohyama, M.
Occurrence of galanin-like immunoreactivity in vestibular and cochlear efferent neurons after labyrinthectomy in the rat (644) 135
Ohtani-Kaneko, R., see Iigo, M. (644) 213
Omura, H., see Kamisaki, Y. (644) 128
Orlov, S.N., see Aksentsev, S.L. (644) 1
Orsal, D., see Bertelli, J.A. (644) 150

Pantó, M.R., see Serapide, M.F. (644) 175
Parenti, M., see Qing, Y. (644) 13
Parenti, R., see Serapide, M.F. (644) 175
Penix, L.R.P. and Wasterlain, C.G.
Selective protection of neuropeptide containing dentate hilar interneurons by non-NMDA receptor blockade in an animal model of status epilepticus (644) 19
Persson, J.K.E., see Molander, C. (644) 74
Pfister, H.-W., see Koedel, U. (644) 25
Phillis, J.W., see Cao, X. (644) 267
Pohle, W. and Rauca, C.
Hypoxia protects against the neurotoxicity of kainic acid (644) 297
Procter, A.W., see Webster, M.-T. (644) 347
Prosser, R.A., Heller, H.C. and Miller, J.D.
Serotonergic phase advances of the mammalian circadian clock involve protein kinase A and K^+ channel opening (644) 67
Puebla, L. and Arilla, E.
Somatostatin receptor-GTP binding regulatory protein-adenylyl cyclase system in hippocampal membranes of strychnine-treated rats (644) 59

Qing, Y., Parenti, M., Guzzi, F., Ceresoli, G., Müller, E.E. and Cocchi, D.
Alterations of adenylyl cyclase-coupled growth hormone-releasing hormone (GHRH) pituitary receptors in different conditions of GHRH deprivation (644) 13

Rakovich, A.A., see Aksentsev, S.L. (644) 1
Rambotti, M.G., Mughetti, D. and Spreca, A.
Detection of particulate guanylate cyclase in rat neurohypophysis after stimulation with ANF and BNP: an ultracytochemical study (644) 52
Ransom, B.R., see Waxman, S.G. (644) 197
Rauca, C., see Pohle, W. (644) 297
Roisin, M.-P., see Taupin, P. (644) 313
Rönnqvist, M., see Villar, M.J. (644) 273
Roubos, E.W. and Van Heumen, W.R.A.
Peptide processing and release by the neuroendocrine caudodorsal cells of *Lymnaea stagnalis* during an egg-laying cycle (644) 83

Sasa, M., see Kishimoto, T. (644) 47
Schmelzer, J.D., see Benarroch, E.E. (644) 322
Schmidt, B.G., see Mönnikes, H. (644) 101
Schnecko, A., Witte, K., Bohl, J., Ohm, T. and Lemmer, B.
Adenylyl cyclase activity in Alzheimer's disease brain: stimulatory and inhibitory signal transduction pathways are differently affected (644) 291
Serapide, M.F., Cicirata, F., Sotelo, C., Pantó, M.R. and Parenti, R.
The pontocerebellar projection: longitu-

dinal zonal distribution of fibers from discrete regions of the pontine nuclei to vermal and paraflocculars cortices in the rat (644) 175
Shibata, S., see Tanaka, T. (644) 343
Shigemoto, T., see Yoshida, N. (644) 90
Shimohama, S., see Akaike, A. (644) 181
Shishido, Y., see Tanaka, T. (644) 343
Shyu, B.C., see Kiritsy-Roy, J.A. (644) 109
Simpkins, J.W., see Singh, M. (644) 305
Singh, M., Meyer, E.M., Millard, W.J. and Simpkins, J.W.
Ovarian steroid deprivation results in a reversible learning impairment and compromised cholinergic function in female Sprague–Dawley rats (644) 305
Smithson, I.L., see Benarroch, E.E. (644) 322
Sotelo, C., see Serapide, M.F. (644) 175
Spreca, A., see Rambotti, M.G. (644) 52
Stone, T.W., see Macgregor, D.G. (644) 339
Stratmann, G.C., see Webster, M.-T. (644) 347
Stys, P.K., see Waxman, S.G. (644) 197
Sugai, T., see Yoshida, N. (644) 90
Suzuki, T., see Iigo, M. (644) 213
Szot, P., see Figlewicz, D.P. (644) 331

Taché, Y., see Mönnikes, H. (644) 101
Takeda, N., see Ohno, K. (644) 135
Tamura, Y., see Akaike, A. (644) 181
Tanaka, T., Shishido, Y., Shibata, S. and Watanabe, S.
Facilitatory effect of vasopressin on the ischemic decrease of the CA1 presynaptic fiber spikes in rat hippocampal slices (644) 343
Taupin, P., Ben-Ari, Y. and Roisin, M.-P.
Subcellular fractionation on Percoll gradient of mossy fiber synaptosomes: evoked release of glutamate, GABA, aspartate and glutamate decarboxylase activity in control and degranulated rat hippocampus (644) 313
Tebbe, J., see Mönnikes, H. (644) 101
Todo, N., see Kishimoto, T. (644) 47
Tohyama, M., see Ohno, K. (644) 135
Tomasz, A., see Koedel, U. (644) 25

Ueki, T., see Eksioglu, Y.Z. (644) 282

Van Heumen, W.R.A., see Roubos, E.W. (644) 83
Veith, R.C., see Figlewicz, D.P. (644) 331
Villar, M.J., Ceccatelli, S., Rönnqvist, M. and Hökfelt, T.
Nitric oxide synthase increases in hypothalamic magnocellular neurons after salt loading in the rat. An immunohistochemical and in situ hybridization study (644) 273

Wang, E., see Yang, G. (644) 188
Ward, K.E., see Mizumori, S.J.Y. (644) 168
Wasterlain, C.G., see Penix, L.R.P. (644) 19
Watanabe, S., see Tanaka, T. (644) 343
Waxman, S.G., Black, J.A., Ransom, B.R. and Stys, P.K.
Anoxic injury of rat optic nerve: ultrastructural evidence for coupling between Na^+ influx and Ca^{2+}-mediated injury in myelinated CNS axons (644) 197
Webster, M.-T., Francis, P.T., Procter, A.W., Stratmann, G.C., Doshi, R., Mann, D.M.A. and Bowen, D.M.
Postmortem brains reveal similar but not identical amyloid precursor protein-like immunoreactivity in Alzheimer compared with other dementias (644) 347
Wictorin, K., see Lundberg, C. (644) 205
Witte, K., see Schnecko, A. (644) 291
Woods, S.C., see Figlewicz, D.P. (644) 331

Yamagata, K., see Eksioglu, Y.Z. (644) 282
Yamanaka, T., see Kishimoto, T. (644) 47
Yang, G. and Wang, E.
Terminin (Tp 63/60), a novel cell senescence-related protein, is present in the aging human hippocampus (644) 188
Yokota, T., see Akaike, A. (644) 181
Yoshida, N., Shigemoto, T., Sugai, T. and Ohmori, H.
The role of inositol trisphosphate on ACh-induced outward currents in bullfrog saccular hair cells (644) 90

Zhang, X., Gong, Z.-H. and Nordberg, A.
Effects of chronic treatment with (+)- and (−)-nicotine on nicotinic acetylcholine receptors and *N*-methyl-D-aspartate receptors in rat brain (644) 32
Zollman, P.J., see Benarroch, E.E. (644) 322